

Prescribing quantities

In order to allow women to adjust medications following clinician advice without needing frequent new prescriptions of medication, the table below suggests potential quantities of medications and how to prescribe in a "sliding scale" type method in the postnatal period.

Prescribing / Dispensing suggestions for women self-monitoring blood pressure in the postnatal period (please confirm doses via current BNF)

Level	Drug class							
	ACEI	ACEI	ССВ	ССВ	Beta/alpha blocker	Beta Blocker	Beta Blocker	Alpha blocker
	Enalapril	Captopril	Nifedipine M/R	Amlodipine	Labetalol	Atenolol	Metoprolol	Doxazocin
Tablets for higher doses on discharge	10mg	25mg tablets (usually bd)	20mg	NA	200mg tablets	NA	NA	2mg tablets (usually bd)
Instructions	20-80mg daily as per	50-100mg daily as per	40-80mg daily as per	NA	600-2400mg daily as per	NA	NA	2-8mg bd as per titration
Dispense / Prescribe 2 weeks supply on discharge	titration schedule	titration schedule	titration schedule		titration schedule			schedule. Prescribe at
4 weeks supply subsequently	Prescribe at least	Prescribe at least	Prescribe at least		Prescribe at least			least 112*2mg
	56 x 10mg tabs	56 x 25mg tabs	56 x 20mg tabs		168 x 200mg tabs			tablets
Tablets for lower doses on discharge/following subsequent down-titration	5mg tablets	12.5mg tablets (usually bd)	10mg SR tablets	5mg tables	100mg tablets	25mg tablets	50 mg tablets (usually bd)	1mg tablets (usually bd)
Instructions	5-20mg daily as per	25-50mg daily as per	10-30mg twice daily as	2.5-10mg daily as per	100-400mg tds as per	25-100mg daily as per	50-200mg bd as per	1-4mg bd as per titration
Dispense / Prescribe 2 weeks supply on discharge	titration schedule	titration schedule	per titration schedule	titration schedule	titration schedule	titration schedule	titration schedule	schedule Prescribe at
4 weeks supply subsequently	Prescribe at least	Prescribe at least	Prescribe at least	Prescribe at least	Prescribe at least	Prescribe at least	Prescribe at least	least 112*1mg
	56 x 5mg tabs	56 x 12.5mg tabs	42 x 10mg SR tabs	28 x 5mg tabs	168 x 100mg tabs	56 x 25mg tabs	56 x 50mg tabs	tabs

For illustrative purposes only, please confirm doses from current BNF (British National Formulary)

Copy from: SNAP2 intervention Advice For clinician v2.0 13Jun2024